## National Park Service Status Report on Katrina's Impact on Cultural Resources Gathered by NPS Cultural Resources Staff 9/13/2005

**Note:** This information supplements status reports provided on the following web sites:

InsideNPS

http://www.inside.nps.gov/

American Association of Museums

http://www.aam-us.org/aamlatest/news/HurricaneFirstReports.cfm

Heritage Preservation

http://www.heritagepreservation.org/

American Library Association

 $\frac{http://www.ala.org/al\_onlineTemplate.cfm?Section=alonline\&template=/ContentManagement/ContentDisplay.cfm\&ContentID=1032}{78}$ 

To make changes to this report, contact NPS Chief Curator Ann Hitchcock at ann\_hitchcock@nps.gov.

Location	Institution or Site	Status	Rpt. Date	Source	Contact for more information
AL	or site		Date		
Pickensville	Montgomery, Corps of Engineers	(NHL sternwheel snagboat), no damage	9/1/05	Kevin Foster, NPS Maritime Heritage Program 202-354-2260 Kevin_Foster@nps.gov	
FL					
Dry Tortugas National Park	Dry Tortugas National Park	Historic cannon "sand blasted," removing protective coating down to primer, flash rusting.	8/31/05; Update 9/12/05;	Allen Bohnert, Chief, Museum Services, Southeast Region, NPS 404-562-3117 x 665	Nancy Russell, Curator South Florida Collection

Location	Institution or Site	Status	Rpt. Date	Source	Contact for more information
		Conservation team to provide emergency stabilization treatment 9/19-26/05.  Fort Jefferson: Curtain Wall lost 500 sq. ft. of brickwork, adjacent to area that had previously failed. Moat wall (seawall) had minor loss of 10 lf. of brick coping. Dredging moat to remove 400 yards of sand.	9/13/05	allen_bohnert@nps.gov  Nancy Russell, Curator South Florida Collection Management Center Everglades National Park phone 305-242-7826 fax 305-242-7836 Nancy_Russell@nps.gov  Ross Hunt, Exhibit Specialist (Structures) Dry Tortugas National Park 305-294-8543 Ross_Hunt@nps.gov	Management Center Everglades National Park phone 305-242-7826 fax 305-242-7836 Nancy_Russell@nps.gov  Ross Hunt, Exhibit Specialist (Structures) Dry Tortugas National Park 305-294-8543 Ross_Hunt@nps.gov
T A					
Chandeleur Islands	Chandeleur lighthouse, Breton National Wildlife Refuge	Chandeleur lighthouse (formerly active US Coast Guard lighthouse) not visible from aerial photos, presumed destroyed	9/6/05	Kevin Foster, NPS Maritime Heritage Program 202-354-2260 Kevin_Foster@nps.gov	
New Orleans	Delta Queen (Delta Queen Steamboat Company)	(NHL sternwheel passenger river boat) No damage, was cruising well upriver. Will operate out of Memphis for now.	9/1/05; Update 9/6/05	Kevin Foster, NPS Maritime Heritage Program 202-354-2260 Kevin_Foster@nps.gov	See http://www.deltaqueen.com
New Orleans	New Orleans Jazz National Historical Park	Visitor Center in the French Quarter at 916 N. Peters has been inspected. It is dry.	9/5/05	Sara Wolf, NPS National Incident Management Team, sara_wolf@nps.gov	same
New Orleans	Jean Lafitte National Historical Park and Preserve (French Quarter, 419 Decatur	Site has been inspected. The roof of the structure suffered some damage, but is solid and secure. The structure and contents are dry and the collections have no mold. Collections are being moved to	9/5/05; Update 9/9/05; 9/13/05	Sara Wolf, NPS National Incident Management Team, sara_wolf@nps.gov  Debbie Santiago, NPS National Incident Management Team,	same

Location	Institution or Site	Status	Rpt. Date	Source	Contact for more information
	Street visitor center, headquarters, collections storage)	temporary storage at Natchez National Historical Park.		661-332-1754, fax 623-321- 1748	
New Orleans	Jean Lafitte National Historical Park and Preserve (Barataria Preserve)	The general condition of the buildings is good. Heavy wind damage to many trees.	9/5/05	Debbie Santiago, NPS National Incident Management Team, 661-332-1754, fax 623-321- 1748	
New Orleans	Jean Lafitte National Historical Park and Preserve (Chalmette Battlefield and National Cemetery)	Structures and cemetery are flooded and extensively damaged; flood waters are a bio-hazard. Nineteen high priority museum objects have been retrieved from flooded visitor center exhibits and sent to Springfield Armory conservator for treatment. Objects include muskets, swords, medallions, pistols.	9/9/05; Update 9/13/05	Sara Wolf, NPS National Incident Management Team, sara wolf@nps.gov  Debbie Santiago, NPS National Incident Management Team, 661-332-1754, fax 623-321- 1748	
New Orleans	Longue Vue	Major tree damage; house dry but high RH; no collections were flooded; concerns re: mold.	9/11/05	Alan Z. Aiches Historic Preservation Specialist Museum Collections Liaison FEMA Joint Field Office – 1603-DR- LA Baton Rouge, LA 70802 225-376-5146 202-365-1697 (mobile) alan.aiches@dhs.gov	same
New Orleans	New Canal Light (US Coast Guard, active)	(at entrance to Lake Ponchartrain) From photos appears to be knocked off foundation	9/1/05	Kevin Foster, NPS Maritime Heritage Program 202-354-2260 Kevin_Foster@nps.gov	

Location	Institution or Site	Status	Rpt. Date	Source	Contact for more information
MS					
Biloxi	Beauvoir, The Jefferson Davis Home and Presidential Library	Home: Aerial photo shows holes torn in slate roof and galleries (porches) missing. Library: Built to withstand category 5 hurricane; first floor washed out by storm surge. Portraits salvaged after event additional recovery of artifacts begun. Historic library pavilion, Hayes cottage, Soldier's Home Barracks replica, Confederate Soldier's Museum, Giftshop, and director's home destroyed. Replicas of destroyed buildings will be built after restoration of Beauvoir and Presidential Library.	9/1/05; Update 9/13/05	Ken P'Pool, Dept. of Historic Preservation, Mississippi Dept. of Archives and History Phone: 601-576-6940 Fax: 601-576-6955 E-mail: kppool@mdah.state.ms.us  David Preziosi, Exec. Director, Mississippi Heritage Trust, 601-354-0200, fax: 601-354-0220  See http://www.beauvoir.org	Same; see AAM website; See photos http://www.mississippiheritage.com/ HurricaneKatrina.html; hear NPR news report at http://www.npr.org/templates/story/ story.php?storyId=4835721 See http://www.beauvoir.org
Biloxi	Breilmaier House (c. 1895)	Destroyed	9/6/05	David Preziosi, Exec. Director, Mississippi Heritage Trust, 601- 354-0200, fax: 601-354-0220	Same; See photos <a href="http://www.mississippiheritage.com/">http://www.mississippiheritage.com/</a> <a href="http://www.mississippiheritage.com/">HurricaneKatrina.html</a>
Biloxi	Biloxi Cemetery	Many trees uprooted; markers broken.	9/7/05	David Preziosi, Exec. Director, Mississippi Heritage Trust, 601- 354-0200, fax: 601-354-0220	Same; See photos <a href="http://www.mississippiheritage.com/">http://www.mississippiheritage.com/</a> <a href="http://www.mississippiheritage.com/">HurricaneKatrina.html</a>
Biloxi	Dantzler House	Destroyed	9/6/05	David Preziosi, Exec. Director, Mississippi Heritage Trust, 601- 354-0200, fax: 601-354-0220	Same; See photos <a href="http://www.mississippiheritage.com/">http://www.mississippiheritage.com/</a> <a href="http://www.mississippiheritage.com/">HurricaneKatrina.html</a>
Biloxi	Maritime and Seafood Industry Museum	A portion of the building remains. Some artifacts salvaged, including lens from Ship Island lighthouse.	9/6/05	John Linn Hopkins Hopkins & Assoc Preservation Consultants Memphis, TN 38104 901-278-5186; fax: 901-726- 5993	Robin Krohn, museum staff, cell 228-380-2915
Biloxi	Ohr-O'Keefe	Aerial photo shows two of five	9/5/05	John Linn Hopkins	See AAM website. See photos

Location	Institution or Site	Status	Rpt. Date	Source	Contact for more information
	Museum of Art	buildings in new museum complex left (JLH). Pleasant Reed House destroyed (DP).	(JLH) 9/6/05 (DP)	Hopkins & Assoc Preservation Consultants Memphis, TN 38104 901-278-5186; fax: 901-726- 5993 David Preziosi, Exec. Director, Mississippi Heritage Trust, 601- 354-0200, fax: 601-354-0220	http://www.mississippiheritage.com/ HurricaneKatrina.html
	Tullis-Toledano Manor	Aerial photo shows Tullis- Toledano House (c. 1860) destroyed (under the displaced casino barge); Tullis Slave Quarters (c. 1860) destroyed; Crawford House (c. 1850) destroyed	9/5/05	John Linn Hopkins Hopkins & Assoc Preservation Consultants Memphis, TN 38104 901-278-5186; fax: 901-726- 5993	See photos http://www.mississippiheritage.com/ HurricaneKatrina.html
Jackson	Old Capitol Museum of Mississippi History (state historical museum)	Lost half of roof, 6,000 items in collection quickly relocated, little serious damage to collections. Roof replacement scheduled to begin 8/31	8/31/05	Ken P'Pool, Dept. of Historic Preservation, Mississippi Dept. of Archives and History Phone: 601-576-6940 Fax: 601-576-6955 E-mail: kppool@mdah.state.ms.us	same
Natchez	Natchez National Historical Park	At Melrose a backup generator supplied continuous power to the furnished exhibits in the mansion; the separate collections storage facility lost power, but it was restored within 36 hours. William Johnson House lost power only for two hours. No known collections damage.	9/7/05; Update 9/9/05	Kathleen Jenkins Chief of Resource Management, Natchez NHP 601-442-1431; fax: 601-445- 0873; Kathleen_jenkins@nps.gov	same
Ocean Springs	Gulf Islands National	Storm surge flooded exhibits & museum collections at Davis	9/8/05	Roxanne Sellers Cultural Resources, Gulf Islands	same

Location	Institution or Site	Status	Rpt. Date	Source	Contact for more information
	Seashore	Bayou Visitor Center.		NS 850-934-2670	
Ship Island	Gulf Islands National Seashore Ft. Massachusetts	Storm surge flooded & damaged fort: earthen berm damaged, large granite blocks dislodged and in moat, interior filled with mud and debris several inches thick.  Extent of damage to Rodman cannon, artifacts & exhibits unknown. Reconstructed lighthouse destroyed.	9/8/05; Update 9/13/05.	Roxanne Sellers Cultural Resources, Gulf Islands NS 850-934-2670	same
Vicksburg	Vicksburg NMP	Canopy covering the USS Cairo ripped in several places. Cooper caps blew off the cemetery gazebo.	9/2/05	NPS Morning Report	Vicksburg NMP, 601-636-0583, Fax: 601-636-9497, e-mail: VICK_Superintendent@nps.gov